

Summation current transformer 70 mm



Figure similar

Model	
Product brand name	SETRON
Internal diameter / of summation current transformer	70 mm
Type of voltage / for actuation	AC
Main circuit	
Operating frequency / rated value	
• minimum	50 Hz
• maximum	60 Hz
Operating voltage / rated value	
• maximum	720 V
Control current	
Control supply voltage	
• at AC / at 50 Hz / rated value / maximum	720 V
• at AC / at 60 Hz / rated value / maximum	720 V
Auxiliary circuit	
Number of CO contacts / for auxiliary contacts	0

Number of NC contacts / for auxiliary contacts	0
Number of NO contacts / for auxiliary contacts	0

### Suitability

Suitability for operation	For AC networks
---------------------------	-----------------

### Product function

Product function / Fault storage	No
----------------------------------	----

### Connections

Type of electrical connection	screw-type terminals
-------------------------------	----------------------

### Mechanical Design

Height	33 mm
Width	130 mm
Depth	110 mm

<b>General Product Approval</b>	<b>Declaration of Conformity</b>
---------------------------------	----------------------------------



UR



EG-Konf.

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SV8703-0KK>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5SV8703-0KK>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5SV8703-0KK](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SV8703-0KK)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

