


Legrand cabling system LCS²

category 6

patch panels, blocks of connectors



0 335 62



0 335 90



0 335 89



0 335 65



Cat. 6 connector
STP shielded

Pack	Cat.Nos	Patch panels cat. 6 24 x RJ 45 quick-fixing connectors
		<p>Panels supplied with quick-fixing Panels ensure automatic grounding of each connector Fitted with rear cable guide to hold cables during maintenance Fitted with 4 units of 6 LCS² RJ 45 connectors cat. 6 with fast connection thanks to integrated crimping, with colour code and wiring schemes T 568 A and T 568 B Supplied with numbered colour labels Conform to standards ISO/IEC 11801 Ed. 2.0, amendment 2, EN 50173-2 and TIA/EIA 568C 19" panel - 1 U</p>
1	0 335 61	UTP panel - 8 contacts
1	0 335 67	UTP high density panel - 8 contacts
1	0 335 62	FTP panel - 9 contacts
1	0 335 68	FTP high density panel - 9 contacts
1	0 335 63	STP panel - metal shielding 360°
		UTP through panel
		24 x RJ 45 connectors
1	0 335 89	UTP through panel

Pack	Cat.Nos	Modular panels
		<p>Panels supplied with quick-fixing General all-purpose assembly of all enclosures or cabinets Panels ensure automatic earthing of each connector Fitted with rear cable guide to hold cables during maintenance Empty panels to be fitted with 4 units Take the following equipment: - 6 LCS² RJ 45 connector units - telephone inlet units - fibre optic units - PoE injector units - video streaming units - switch units - telephone/Ethernet doubler units - copper/fibre optic converter units - blanking plates</p>
1	0 335 90	19" panel - 1 U

Pack	Cat.Nos	Units of 6 x RJ 45 connectors cat. 6
		<p>Fitted with 6 x LCS² RJ 45 connectors cat. 6 with fast connection thanks to integrated crimping, with colour code and wiring schemes T 568 A and T 568 B Supplied with colour labels Conform to standards ISO/IEC 11801 Ed. 2.0, EN 50173-1 and TIA/EIA 568</p>
2	0 335 64	UTP unit - 8 contacts
2	0 335 65	FTP unit - 9 contacts
2	0 335 66	STP unit - metal shielding 360°
10	0 335 91	Blanking plate for 19" panel - Black

Legrand cabling system LCS² category 5e

patch panels, blocks of connectors



0 335 52


Pack	Cat.Nos	Patch panels cat. 5e 24 x RJ 45 connectors
		Panels supplied with quick-fixing Panels ensure automatic grounding of each connector Fitted with rear cable guide to hold cables during maintenance Fitted with 4 units of 6 LCS2 RJ 45 connectors cat 5e with fast connection thanks to integrated crimping, with colour code and wiring schemes T 568 A and T 568 B Supplied with colour labels numbered from 1 to 24 Conform to standards ISO/IEC 11801 Ed. 2.0, EN 50173-1 and TIA/EIA 568 19" panel - 1 U
		UTP panel
1	0 335 51	UTP panel - 8 contacts
1	0 335 82	UTP panel - 8 contacts - connection with 110 tool
1	0 335 83	UTP high density panel - 8 contacts - connection with 110 tool
		FTP panel
1	0 335 52	FTP panel - 9 contacts
		UTP through panel
1	0 335 88	24 RJ 45 connectors UTP through panel

Pack	Cat.Nos	Modular panels
		Panels supplied with fast assembly Panels ensure automatic grounding of each connector Fitted with rear cable guide to hold cables during maintenance Modular empty panels for up to 4 units Takes the following equipment: - units of 6 LCS2 RJ 45 connectors - units for telephone inlets - fibre optic units - PoE injector units - video streaming units - switch units - telephone/Ethernet doubler units - copper/fibre optic converter units - blanking plates 19" panel - 1 U
1	0 335 90	

Pack	Cat.Nos	Units of 6 x RJ 45 connectors cat. 5e
		Fitted with 6 x LCS2 RJ 45 connectors cat. 5e with fast connection thanks to integrated crimping, with colour code and wiring schemes T 568 A and T 568 B Supplied with colour labels Conforms to standards ISO/IEC 11801 Ed. 2.0, EN 50173-1 and TIA/EIA 568
2	0 335 54	UTP unit
2	0 335 55	FTP unit
10	0 335 91	Blanking plate for 19" panel - Black

Legrand cabling system LCS² category 5e

cables and cords



0 328 50

0 516 40

Pack	Cat.Nos	Cables for local networks cat. 5e
		4 twisted pair cables 100 ohms LSZH sleeve: non-halogen Grey RAL 7035 Colour code TIA/EIA
		U/UTP - 4 pairs
305 ¹	0 327 50	Length 305m Supplied in cardboard box. Weight 10 kg
500 ¹	0 328 53	Length 500 m Supplied on reel. Weight 15 kg
1000 ¹	0 328 73	Length 1000 m Supplied on reel
305 ¹	0 327 51	Length 305m Supplied in cardboard box. Weight 9 kg
1000 ¹	0 328 74	Length 1000 m Supplied on reel
		U/UTP - 2 x 4 pairs
500 ¹	0 327 73	Length 500 m Supplied on reel
		F/UTP - 4 pairs
305 ¹	0 327 52	Length 305 m Supplied in cardboard box. Weight 12 kg
500 ¹	0 328 50	Length 500 m Supplied on reel. Weight 21 kg
305 ¹	0 327 53	Length 305 m Supplied by box. Weight 11 kg
		F/UTP - 2x4 pairs
500 ¹	0 327 74	Length 500 m Supplied on reel. Weight 38 kg


Pack	Cat.Nos	RJ 45 patch cords and user cords cat. 5e
		RJ 45 - RJ 45 right
		U/UTP unshielded impedance 100 Ω
		Grey
1	0 516 36	Length 1m
1	0 516 37	Length 2m
1	0 516 38	Length 3m
1	0 516 39	Length 5m
		F/UTP screened impedance 100 Ω
		Grey
1	0 516 40	Length 1 m
1	0 516 41	Length 2 m
1	0 516 42	Length 3 m
1	0 516 43	Length 5 m

1: in metre(s)

Legrand cabling system LCS²

category 6A, 6 and 5e

additional products and doublers



0 335 90



0 335 39



0 335 34



0 335 12



0 335 16

Pack	Cat.Nos	Modular panels
1	0 335 90	<p>Panels supplied with captive screws and cage nuts or with quick fixing Universal mounting for all enclosures or cabinets Panels ensure automatic earthing of each connector Fitted with rear cable guide to hold cables in place during maintenance Modular empty panels for up to 4 units Take the following equipment:</p> <ul style="list-style-type: none"> - units of 6 x LCS² RJ 45 connectors - units for telephone inlets - fibre optic units - PoE injector units - video streaming units - switch units - telephone/Ethernet doubler units - copper/fibre optic converter units - blanking plates <p>19" panel - 1 U</p>

Pack	Cat.Nos	Video streaming unit
1	0 335 34	Block of 6 "F" connectors for video circuits

Pack	Cat.Nos	Fibre optic units
		<p>Clip directly onto fibre optic drawer Cat.No 0 335 10 (p. 79), on the patch panels with fibre optic cassette Cat.No 0 335 11 (p. 79) or in the area distribution boxes with fibre optic accessory Cat.No 0 335 20 (p. 82)</p>
1	0 335 13	Monomode fibre units (9/125 µm) LC unit for 6 monomode fibres
1	0 335 12	SC unit for 6 monomode fibres
1	0 335 16	Multimode fibre units (62.5 and 50/125 µm) ST unit for 6 multimode fibres
1	0 335 17	SC unit for 6 multimode fibres
1	0 335 18	LC unit for 6 multimode fibres
1	0 335 19	High-density LC unit for 12 multimode fibres

Pack	Cat.Nos	Doubler units
		<p>Units of 6 x LCS² RJ 45 doubler connectors For fast tool-free connection Used with doubler sockets (p. 75)</p>
2	0 335 54	UTP unit
2	0 335 55	FTP unit
10	0 335 91	Blanking plate for 19" panel - Black
		Ethernet/Ethernet doublers 100 base T
1	0 335 39	FTP - 9 contacts
1	0 335 38	UTP - 8 contacts
		Telephone/Ethernet doublers 100 base T
1	0 335 37	FTP - 9 contacts
1	0 335 36	UTP - 8 contacts
		Telephone/telephone doubler
1	0 335 35	45 contacts